

Class	Pg #	Name	Merit	Fault	Fault Value
Form	23	Daffodil	Intense, Uniform color	Pest/disease injury; poor flower condition, malformed flower	Severe
Form	23	Daffodil	Blemish Free	Torn or damaged petals	Severe
Form	23	Daffodil	Dark Green foliage	Deformed foliage; small flower; weak stem	Moderate
Form	23	Daffodil	Flowers held above leaves	Flowers down in foliage; Upright or nodding flowers	Moderate
Form	23	Daffodil	Perfectly developed crown/perianth	Poor placement or crooked stem; Poor flower color; Immature flower	Moderate
Form	23	Daffodil	Flowers firm/crisp with diameter 3 3/4"	Mechanical damage to foliage	Moderate
Form	23	Daffodil	Proper flower placement		
Form	62	Gerbera	Well-shaped inflorescence	Pest/disease injury	Severe
Form	62	Gerbera	Large flower consistent with variety	Wilting of ray florets; stamens overmature (2+ rows); Stamens immature (Stamens green or dark colored)	Severe
Form	62	Gerbera	Flower head placed squarely atop stem	Ray florets bruised, burned (tip) or mechanical damage; Missing ray florets; Promiscuous ray arrangement; Asymmetrical flower centers	Severe
Form	62	Gerbera	Clean, Intense color	Crooked stems; small flower size	Moderate
Form	62	Gerbera	Straight, Strong stem	Inflorescence not perpendicular to stem; off color flowers	Moderate
Form	62	Gerbera		Blemishes on entire inflorescence; Ray florets off color	Moderate
Form	62	Gerbera			
Form	74	Iris	Intense, Uniform color	Pest/disease injury; Poor flower condition, malformed flower	Severe
Form	74	Iris	Blemish free	Torn or damaged petals	Severe
Form	74	Iris	Dark green foliage	Second bud interference	Severe
Form	74	Iris	Firm, crisp flowers held above leaves	Deformed foliage; small flower; weak stem; flowers borne down in foliage	Moderate
Form	74	Iris	Proper flower placement	Poor placement or crooked stem; Poor flower color; Immature flower	Moderate
Form	74	Iris	Perfect standards/falls	Mechanical damage to foliage	Moderate
Form	74	Iris	Brown, dried leaf tip less than 1/8" long	Leaf tip browning	Low
Form	70	Lily	4+ flower buds per stem	Pest/disease injury; Flowers overmature	Severe
Form	70	Lily	Even distribution of flowers radiating atop stem	Low flower and bud count; poor flower distribution; malformed flowers; aborted flower bud	Severe

Class	Pg #	Name	Merit	Fault	Fault Value
Form	70	Lily	Well-formed, sufficiently sized flowers	Mechanical damage to flowers	Moderate
Form	70	Lily	Dark, glossy green foliage from base to flowers	Sparse foliage; pale foliage; tip burn to foliage	Moderate
Form	70	Lily	Blemish Free	Too few flowers open; old flowers removed; weak stems	Moderate
Form	70	Lily	1/3-1/2 of flowers fully open; Remaining buds vary in size	Crooked stems	Moderate
Form	70	Lily	Straight, Strong stem	Pollen smeared flowers	Low
Form	23	Tulip	Intense, Uniform color	Pest/disease injury; poor flower condition, malformed flower	Severe
Form	23	Tulip	Well-colored flowers	Torn or damaged petals	Severe
Form	23	Tulip	Blemish Free	Flowers open, showing pollen; stem distortion from multiple buds	Severe
Form	23	Tulip	Dark Green foliage	Deformed foliage; small flower; weak stem	Moderate
Form	23	Tulip	Flowers held above leaves	Flowers down in foliage	Moderate
Form	23	Tulip	Flowers firm/crisp; not over 1/4-1/2 open	Poor placement or crooked stem; Poor flower color; Immature flower	Moderate
Form	23	Tulip	Proper flower placement	Mechanical damage to foliage	Moderate
Line	64	Gladiolus	2/3 of florets open and in good condition	Pest/disease injury	Severe
Line	64	Gladiolus	Florets open at base progressing to buds at tip	Poor condition or overmaturity; Stem tip broken; poor facing	Severe
Line	64	Gladiolus	Floret face same direction	Flower spike less than 1/3 total stem length; poor spacing; poor stage or progression of opening; missing florets	Moderate
Line	64	Gladiolus	Straight, Strong stem	Off color florets; crooked stem	Moderate
Line	64	Gladiolus	Dark Green, healthy foliage	Mechanical damage to flowers; cut too tight; Foliage extending above basal florets	Moderate
Line	64	Gladiolus	Florets evenly spaced	Stem tip bent; Side Shoots	Low
Line	64	Gladiolus		Mechanical injury to foliage; Leaf tip damage	Low
Line	78	Liatris	Straight, Strong, Long stem	Pest/Disease Injury	Severe
Line	78	Liatris	Flower plume 10" long	Poor Flower condition; overmature plume; Missing tip	Severe
Line	78	Liatris	Plumes open in descending order	Overmature flowers; Plumes 10-"; broken off voids; Tip falling to open	Severe

Class	Pg #	Name	Merit	Fault	Fault Value
Line	78	Liatris	Mature flowers open at top in good condition	Skips or growing voids along plume; Faced plume; Poor stage of Flower opening	Severe
Line	78	Liatris	Individual flowers evenly spaced	Immature plumes; Uneven spacing of florets in plume; Secondary stem or branching; Thin or weak stems	Moderate
Line	78	Liatris	Vibrant flower color	Short stem; Broken florets; Crooked stems; Missing flower; Mechanical damage	Moderate
Line	78	Liatris	Good foliage color	Poor foliage condition	Moderate
Line	91	Snapdragon	Florets in good condition	Pest/disease injury; Stem tip broken or missing	Severe
Line	91	Snapdragon	Florets progress from open at base to buds at top	Poor flower condition; Seed pods or old flowers	Severe
Line	91	Snapdragon	Floret facing creates symmetrical, compact spike	Asymmetrical facing of florets	Severe
Line	91	Snapdragon	Florets evenly spaced	Irregular spacing of florets; Side branches or secondary flowers; Weak stem	Moderate
Line	91	Snapdragon	Straight, strong stem and flower spike	Missing florets; Cut too tight; Immature; Poor progression of opening	Moderate
Line	91	Snapdragon		Foliage extending above basal floret; Presence of laterals below the inflorescence; crooked stem	Moderate
Line	91	Snapdragon		Stem tip bent; Mechanical injury to foliage	Low
Line	91	Stock	Florets in good condition	Pest/disease injury; Stem tip broken or missing	Severe
Line	91	Stock	Florets progress from open at base to buds at top	Poor flower condition; Seed pods or old flowers	Severe
Line	91	Stock	Floret facing creates symmetrical, compact spike	Asymmetrical facing of florets	Severe
Line	91	Stock	Florets evenly spaced	Irregular spacing of florets; Side branches or secondary flowers; Weak stem	Moderate
Line	91	Stock	Straight, strong stem and flower spike	Missing florets; Cut too tight; Immature; Poor progression of opening	Moderate
Line	91	Stock		Foliage extending above basal floret; Presence of laterals below the inflorescence; crooked stem	Moderate
Line	91	Stock		Stem tip bent; Mechanical injury to foliage	Low

Class	Pg #	Name	Merit	Fault	Fault Value
Mass	15	Alstroemeria	5+ Cymes per stem	Pest/disease injury; translucent petals; Primary flowers not open; aborted secondaries	Severe
Mass	15	Alstroemeria	Radially arranged, Outward facing flowers	Flacid absent foliage; Elongated split pistil	Severe
Mass	15	Alstroemeria	Secondary, Tertiary flowers	Asymmetrical: uneven opening, missin flower, flower facing toward whorl, non-uniform spacing, display non-circular	Moderate
Mass	15	Alstroemeria	Open	Weak stems: Crooked, secondary flower broken	Moderate
Mass	15	Alstroemeria	Intense, typical color for Cultivar	Mechanical breakage of tertiary/quarternary flower	Low
Mass	15	Alstroemeria	Foliage present and turgid	Mechanical damage to primary flower, Excessvely long/short peduncles	Low
Mass	15	Alstroemeria	Stem sufficient to support flowers	Chlorotic foliage; Irregular petal marks	Low
Mass	80	Lisianthus	Stem able to hold side shoots upright	Pest/Disease Injury	Severe
Mass	80	Lisianthus	Min 1-2 open flowers, 3-5 large buds	Insufficient buds; Lack of appropriate sized buds; weak laterals; poor spray form	Severe
Mass	80	Lisianthus	Large, medium-green glaucous leaves	Wilted tertiary and quaternary buds; Buds subtending primary flower	Severe
Mass	80	Lisianthus	Straight flower peduncles	Missing or broken tertiary and quaternary buds; lack of uniformity among sprays; Poor facing	Moderate
Mass	80	Lisianthus	Flowers in good condition	Poor condition of primary flower; Small leaves; Small flowers	Moderate
Mass	80	Lisianthus	Branched for large spray	Bent peduncles; Flowers so open as to lose shape; Thin stems	Moderate
Mass	80	Lisianthus	Uniform flower color, no fading	Mechanical damage to leaves; Faded primary flowers; Poor foliage and/or flower color	Low
Mass	88	Rose	Fresh, normal sized flower, prime condition	Pest/disease injury; Bent/weak necks; overmaturity of flowers; "Peanut" flower size	Severe
Mass	88	Rose	Proper stage of opening	Bullheads; Off-color flowers; Small flower size	Severe
Mass	88	Rose	Fresh, intense, clear color typical for cultivar	Petal arrangement non-spiral in center; Thin, weak stems; immature flowers	Moderate
Mass	88	Rose	Typical form for cultivar	Poor placement on stem; Inner petals bruised or damaged; sparse foliage; chlorotic foliage	Moderate
Mass	88	Rose	Flower properly placed on stem	Side buds or shoots; Crooked stem; spray/water residue	Moderate

Class	Pg #	Name	Merit	Fault	Fault Value
Mass	88	Rose	Straight, long, stiff stems	Outer petals poorly formed, bruised, damaged or dirty; Recent/faulty disbudding	Low
Mass	88	Rose	Turgid foliage, typical color for cultivar	Greenish or off color blotching on outer petals; Noticeable mechanical or thorn damage foliage	Low
Mass	36	Spray Mum	Good spray formation	Pest/disease injury; Poor spray formation; overmature inflorescence	Severe
Mass	36	Spray Mum	Well-shaped, well-colored inflorescence	Presence of broken peducles; Lack of uniformity; Poor order of opening; Poor flower condition	Severe
Mass	36	Spray Mum	Flowers opening from center of spray out	Cut too tight; Lack of Floriferousness; Foliage small or lacking vigor	Moderate
Mass	36	Spray Mum	Dark Green, turgid foliage	Weak stem; Missing/wilting foliage	Moderate
Mass	36	Spray Mum	Straight, Strong stem	Spray/water residue; Flowers or buds along stem; Foliage blemished or off color; Crooked stem	Moderate
Mass	36	Spray Mum		Crooked peduncles; Mechanical injury to foliage; Bemishes on individual petals	Low
Mass	36	Spray Mum		Recent or faulty removal of center bud or laterals	Low
Mass	31	Standard Carnation	Hemispherical flower, flat base	Pest/disease injury; Sleepiness; Over-ripe, poor condition, damage; Split calyx- Type3, poor form	Severe
Mass	31	Standard Carnation	Flower plane perpendicular to stem	Voids in flower face- poor form	Severe
Mass	31	Standard Carnation	Petal size uniform in overlapping rings/rows	Small flowers, poor color for variety, cut too tight	Moderate
Mass	31	Standard Carnation	Petals firm, good substance	Split calyx- Type2; Flower plane not perpendicular to stem; Weak stem	Moderate
Mass	31	Standard Carnation	Well-formed, strong calyx; not split	Spray/water residue; recent or faulty disbudding; Short or broken stem; Crooked stem	Moderate
Mass	31	Standard Carnation	Straight, strong stem; no side shoots/disbuds	Flat flower top; injured foliage	Low
Mass	31	Standard Carnation	well colored, turgid foliage	Outside petals not in flat plane; Split calyx- Type1	Low
Mass	39	Standard Mum	Large size, consistent quality	Pest/Disease Injury	Severe
Mass	39	Standard Mum	Double, Globe flowers squarely atop stem	Overmature/immature flower; poor flower condition; falling ray florets	Severe

Class	Pg #	Name	Merit	Fault	Fault Value
Mass	39	Standard Mum	Fully mature stem; nearly developed center	Promiscuous ray arrangement; Poor flower form	Severe
Mass	39	Standard Mum	Straight, Strong, Long stem	Presence of side shoots; Poor flower placement on stem; Small flower; Foliage small or lacking vigor	Moderate
Mass	39	Standard Mum	Neat, early disbudding; no side shoots	Chlorotic foliage; off color flowers; missing/wilting foliage; weak/thin stem	Moderate
Mass	39	Standard Mum	Clean, Intense color	Recent or faulty disbudding; Spray/water residue; Crooked stems; Blemishes on flowers	Moderate
Mass	39	Standard Mum	Dark Green, healthy foliage	Mechanical injury to foliage; off color florets	Low